


## Thank you for purchasing our CSV-1594 Product.

After unpacking the product, please make sure you have all the items provided and checked for any damages. In case of any missing/damaged parts please inform your supplier immediately.

### You should have:

- 1x **USB Gen1 Type-C 9-in-1 hub** with HDMI™, VGA, 2x USB Gen1 Type-A, RJ45, SD/Micro SD card slots and USB Gen1 Type-C Female port



### Input:


- 1x USB Gen1 Type-C Male(Connect to host)
- Support DP™1.2 Alt mode

**Note:** To get max bandwidth, the host should support DP™1.2 Alt mode

### Output(s):

- 1x HDMI™
  - Support max 4K@30Hz
  - Support 8/10 bit color depth output
  - Support output pixel format RGB/YCbCr4:4:4/YCbCr4:2:2
  - Support HDCP1.4
- 1x VGA
  - Support max 1080P@60Hz output
  - Support to output 2 video under SST mode with dual 1080P@60Hz
- Note:** The max resolution of the display determined by the computer and the monitor
- 2x USB Gen1 Type-A
  - Max 5Gbps data transmission per port
  - Support max 7.5W(5V/1.5A) downstream charging to the port closest to USB Gen1 Type-C Male Port the other port supports max 900mA downstream charging.
  - 2 USB Gen1 Type-A ports share max 1.8A output
  - Support short-circuit, over-current, over-voltage protection

## INSTALLATION: Simply connect the cables/devices as shown below.



\* Check the complete product information about System requirements (Windows/Mac) and supported resolutions and DP™1.2 over Alt Mode.

### FEATURES:

- Support DP™1.2 Alt mode
- Support HDMI™ max 4K@30Hz
- Support HDCP1.4
- Support VGA max 1080P@60Hz output
- Support to output 2 video under SST mode with dual 1080P@60Hz
- Max 5Gbps data transmission per USB Gen1 Type-A port
- Support max 7.5W(5V/1.5A) downstream charging, 2 USB Gen1 Type-A share max 1.8A output
- Support Gigabit Ethernet 10M/100M/1000M, RJ45 support to work with Nintendo Switch™\*
- Support SD3.0 UHS-I up to 104MBps data rate, allow 2 card slots to work simultaneously
- Support Phone out and Mic in
- Support voice adjustment function when connected to headset
- Support PD3.0 with max 100W PD charging

\*Note Only RJ45 port provides support for the Nintendo Switch, other ports don't support the Nintendo Switch™!

### Disclaimer:

While we endeavor to provide the most accurate, up-to-date information available, the content on this document may be out of date or include omissions, inaccuracies or other errors. Therefore Club 3D does not accept any rights claimed on the content of this document. Please refer to a full overview of our Legacy Terms and Conditions on [www.club-3d.com](http://www.club-3d.com). All other brand names are trademarks or registered trademarks and are the property of their respective owners. All content is subject to change without prior notice.